

	Application No.	Applicant(s)
Notice of Allowability	09/884,283	GURAL ET AL.
	Examiner	Art Unit
	Brian J. Sines	1743
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the RCE filed 4/14/2005.		
2. The allowed claim(s) is/are <u>2-4</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal F	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	,,
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	_ Paper No./Mail Da	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement (IDS) submitted on 4/14/2005 was filed after the mailing date of the Notice of Allowance on 1/21/2005. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the examiner.

Allowable Subject Matter

Claims 2 - 4 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 2, the cited prior art neither teach nor fairly suggest a system for *in-situ* x-ray study of electrode component performance in a rechargeable electrochemical energy storage cell comprising a combination of opposed polarity electrode members and an interposed separator member with electrolyte disposed within a hermetic enclosure having an integral x-ray transmissive window member situated to allow incidence therethrough of such radiation upon an electrode member site under study, characterized in that the system comprises:

- a) a body providing a cylinder for receiving therein components of the cell member combination;
 - b) a sealing means surrounding the proximal end of the cylinder;
- c) a base plate providing a radiation access opening situated adjacent the cylinder proximal end and aligned concentrically therewith and within the circumference of the sealing means;

Application/Control Number: 09/884,283 Page 3

Art Unit: 1743

d) wherein the window member being situated intermediate the base plate and the sealing means and extending peripherally beyond the sealing means;

- e) a means for removably affixing the base plate to the body and compressing the sealing means against the window to form a hermetic seal therewith;
- f) an adjustable means situated at the distal end of the cylinder for applying compressive force urging the combination of cell components within the cylinder toward contact with the window member; and
 - g) a means for hermetically sealing the cylinder distal end.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines, Ph.D. whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/884,283

Art Unit: 1743

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dian Sim

Page 4